



SEQUENCE LISTING

B1

<110> BEE, Gary
KOHNE, David E.
KORB, Linda
PETERSON, Todd
YGUERABIDE, Juan

<120> ASSAY FOR GENETIC POLYMORPHISMS USING SCATTERED LIGHT DETECTABLE LABELS

<130> 11032-017

<140> 09/880,732
<141> 2001-06-12

<150> US 60/210,988
<151> 2000-06-12

<160> 67

<170> PatentIn version 3.0

<210> 1
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Primer

<400> 1
ctcggccccc gcactgttcc 20

<210> 2
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Primer

<400> 2
gctttgtcca agagaccgtt g 21

<210> 3
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Primer

<400> 3
ctcgaaagag caggatttgc gta 23

<210> 4
<211> 19
<212> DNA

B)

```
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Primer

<400> 4
cctgacccag ctggatgag 19

<210> 5
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Primer

<400> 5
cttccctgag tgcaaaggcg 20

<210> 6
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 6
gctaactgag cacaggatga cc 22

<210> 7
<211> 52
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 7
gctaactgag cacaggatga ccaaaaaaaaaaaaaaaa aaaaaaaaaaaaaaa aa 52

<210> 8
<211> 51
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 8
ctaactgagc acaggatgac caaaaaaaaaaaaaaaa aaaaaaaaaaaaaaa a 51

<210> 9
<211> 50
<212> DNA
<213> Artificial Sequence
```

B1

```
<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 9
ctaactgagc acaggatgac aaaaaaaaaaa aaaaaaaaaaa aaaaaaaaaaa 50

<210> 10
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 10
gcttaactgag cacggatgac c 21

<210> 11
<211> 51
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 11
gcttaactgag cacggatgac caaaaaaaaaaa aaaaaaaaaaa aaaaaaaaaaa a 51

<210> 12
<211> 50
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 12
ctaactgagc acggatgacc aaaaaaaaaaa aaaaaaaaaaa aaaaaaaaaaa 50

<210> 13
<211> 49
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 13
ctaactgagc acggatgaca aaaaaaaaaaa aaaaaaaaaaa aaaaaaaaaaa 49

<210> 14
<211> 51
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
```

B1

```
<223> Exemplary probe for CYP2D6 allele detection

<400> 14
gctggatgag ctgctaactg agcacaggat' gacctggac ccagcccagc c      51

<210> 15
<211> 50
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 15
gctggatgag ctgctaactg agcacggatg acctggacc cagcccagcc      50

<210> 16
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 16
cgtcctgggg gtggag                                17

<210> 17
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 17
ctccccacccc caggacg                                17

<210> 18
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 18
ctccccacccc caagacg                                17

<210> 19
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection
```

B)

```
<400> 19 .
cgtcttgggg gtgggag 17

<210> 20
<211> 51
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 20
cccttacccg catctccac ccccaggacg ccccttcgc cccaacggtc t 51

<210> 21
<211> 51
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 21
cccttacccg catctccac ccccaagacg ccccttcgc cccaacggtc t 51

<210> 22
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 22
gaaaggggcg tcctggg 17

<210> 23
<211> 47
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 23
gaaaggggcg tcctggaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa 47

<210> 24
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 24
cccaagacgc ccctttc 17
```

<210> 25	.	
<211> 47		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 25		
cccaagacgc cccttcaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa		47
<210> 26		
<211> 22		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 26		
gcagagatgg agaaggtgag ag		22
<210> 27		
<211> 52		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 27		
gcagagatgg agaaggtgag agaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aa		52
<210> 28		
<211> 51		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 28		
cagagatgga gaaggtgaga gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a		51
<210> 29		
<211> 21		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 29		
gcagagatgg aggtgagagt g		21
<210> 30		
<211> 51		

<212>	DNA	
<213>	Artificial Sequence	
<220>		
<221>	misc_feature	
<223>	Exemplary probe for CYP2D6 allele detection	
<400>	30	
	gcagagatgg aggtgagagt gaaaaaaaaaaa aaaaaaaaaaaa aaaaaaaaaaaa a	51
<210>	31	
<211>	50	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<221>	misc_feature	
<223>	Exemplary probe for CYP2D6 allele detection	
<400>	31	
	cagagatgga ggtgagagtg aaaaaaaaaaaa aaaaaaaaaaaa aaaaaaaaaaaa	50
<210>	32	
<211>	51	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<221>	misc_feature	
<223>	Exemplary probe for CYP2D6 allele detection	
<400>	32	
	caccgtggca gccactctca ctttctccat ctctgccagg aaggcctcag t	51
<210>	33	
<211>	48	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<221>	misc_feature	
<223>	Exemplary probe for CYP2D6 allele detection	
<400>	33	
	caccgtggca gccactctca cttccatctc tgccaggaag gcctcagt	48
<210>	34	
<211>	19	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<221>	misc_feature	
<223>	Exemplary probe for CYP2D6 allele detection	
<400>	34	
	cggatgtagg atcatgagc	19
<210>	35	
<211>	49	
<212>	DNA	
<213>	Artificial Sequence	

```

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 35
cgatgttagg atcatgagca aaaaaaaaaaa aaaaaaaaaaa aaaaaaaaaa 49

<210> 36
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 36
gctcatgatc ctacctccg 19

<210> 37
<211> 49
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 37
gctcatgatc ctacctccga aaaaaaaaaaa aaaaaaaaaaa aaaaaaaaaa 49

<210> 38
<211> 51
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 38
tggggcctcc tgctcatgat cctacatccg gatgtgcagc gtgagcccat c 51

<210> 39
<211> 51
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 39
tggggcctcc tgctcatgat cctacctccg gatgtgcagc gtgagcccat c 51

<210> 40
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature

```

```

<223> Exemplary probe for CYP2D6 allele detection

<400> 40
ctgcacatcc ggatgttagg 19

<210> 41
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 41
cctacatccg gatgtgcag 19

<210> 42
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 42
cctacacctcg gatgtgcag 19

<210> 43
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 43
ctgcacatcc ggaggtagg 19

<210> 44
<211> 48
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 44
cactccggtg ggtgatggaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaa 48

<210> 45
<211> 48
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

```

<400> 45 .	
ccatcaccca ccggagtgaa aaaaaaaaaaaa aaaaaaaaaaaa aaaaaaaaaa	48
<210> 46	
<211> 19	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 46	
cactcctgtg ggtgatgga	19
<210> 47	
<211> 51	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 47	
gtgccgcctt cgccactccg gtgggtgatg ggcagaaggg cacaaggcg g	51
<210> 48	
<211> 51	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 48	
gtgccgcctt cgccactcct gtgggtgatg ggcagaaggg cacaaggcg g	51
<210> 49	
<211> 18	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 49	
gctggagcag tgggtgac	18
<210> 50	
<211> 48	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 50	
gctggagcag tgggtgacaa aaaaaaaaaaaa aaaaaaaaaaaa aaaaaaaaaa	48

```

<210> 51
<211> 47
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 51
ctggagcagt gggtgacaaa aaaaaaaaaaa aaaaaaaaaaa aaaaaaaa 47

<210> 52
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 52
gctggagcag gggtgac 17

<210> 53
<211> 47
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 53
gctggagcag gggtgacaaa aaaaaaaaaaa aaaaaaaaaaa aaaaaaaa 47

<210> 54
<211> 46
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 54
ctggagcagg ggtgacaaaa aaaaaaaaaaa aaaaaaaaaaa aaaaaaa 46

<210> 55
<211> 48
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 55
ggcaagaag tcgctggagc agtgggtgac cgaggaggcc gcctgcct 48

<210> 56

```

<211> 47 .		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 56		
ggccaagaag tcgctggagc aggggtgacc gaggaggccg cctgcct		47
<210> 57		
<211> 48		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 57		
gaccaggggg agcataggaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaa		48
<210> 58		
<211> 48		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 58		
gaccttgtgg agcgccagaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaa		48
<210> 59		
<211> 48		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 59		
gaccaggaaa agcacaggaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaa		48
<210> 60		
<211> 49		
<212> DNA		
<213> Artificial Sequence		
<220>		
<221> misc_feature		
<223> Exemplary probe for CYP2D6 allele detection		
<400> 60		
gaccaggaaa agcacaggga aaaaaaaaaa aaaaaaaaaa aaaaaaaaa		49
<210> 61		
<211> 37		
<212> DNA		

<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 61	
gggagaccag gggagcata gggttggagt gggtggt	37
<210> 62	
<211> 38	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 62	
gggagaccctt gtggagcgcc agggttggag tgggtggc	38
<210> 63	
<211> 37	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 63	
gggagaccag gaaaagcaca gggttggagt gggggc	37
<210> 64	
<211> 49	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 64	
atcattccaa tcatccatat catcaaaaaa aaaaaaaaaa aaaaaaaaaa	49
<210> 65	
<211> 51	
<212> DNA	
<213> Artificial Sequence	
<220>	
<221> misc_feature	
<223> Exemplary probe for CYP2D6 allele detection	
<400> 65	
tggggcctcc tgctcatgat cctacatccg gatgtgcagc gtgagccat c	51
<210> 66	
<211> 51	
<212> DNA	
<213> Artificial Sequence	

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<400> 66
tggggcctcc tgctcatgat cctacctccg gatgtgcagc gtgagccat c

<210> 67
<211> 49
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<223> Exemplary probe for CYP2D6 allele detection

<220>
<221> misc_feature
<222> 1
<223> Nucleic acid at this position is biotinylated

<400> 67
atcattccaa tcatccatat catcaaaaaa aaaaaaaaaa aaaaaaaaaa

51

49